

LARGEST RANGE OF
**ALUMINIUM &
STAINLESS STEEL**
RAILING SYSTEMS





WHY ALURAIL ?

40+
ALUMINIUM RAILING
SYSTEMS

100%
WEATHER PROOF
SYSTEMS

20+
ALUMINIUM
HANDRAILS

304 GRADE
SS MODULAR
RAILING SYSTEM



**CERTIFIED
TESTED SYSTEMS**



**LED
SYSTEMS**

**WOODEN
HANDRAILS**

SYSTEMS WITH MULTI COLOR OPTIONS


**PVDF
FINISH**

**WOOD
FINISH**

ANODIZING

**POWDER
COATING**

"LARGEST RANGE OF ALUMINIUM & STAINLESS STEEL SYSTEMS"



ALUMINIUM RAILING SYSTEMS

ALRL-01	Top Mounting Bracket with Full Cover	10
ALRL-02	Top Mounting Bracket with Full Cover	11
ALRL-28	Top Mounting Bracket with Full Cover	12
ALRL-04	Top Mounting Bracket With End Cap	14
ALRL-05	Top Mounting Bracket With End Cap	15
ALRL-06	Top Mounting Bracket	16
ALRL-15	Top Mounting Bracket With End Cap	17
ALRL-16	Top Mounting Bracket With End Cap	18
ALRL-21	Top Mounting Bracket With End Cap	19
ALRL-22	Top Mounting Bracket With End Cap	20
ALRL-23	Top Mounting Bracket With End Cap	21
ALRL-29	Top Mounting Bracket With End Cap	22
ALRL-30	Top Mounting Bracket With End Cap	23
ALRL-31	Top Mounting Bracket With End Cap	24

ALRL-32	Top Mounting Bracket With End Cap	25
ALRL-07	Top Mounting Continuous	28
ALRL-09	Top Mounting Continuous (LED)	29
ALRL-10	Top Mounting Continuous	30
ALRL-11	Top Mounting Continuous	31
ALRL-12	Top Mounting Continuous	32
ALRL-13	Top Mounting Continuous	33
ALRL-18	Top Mounting Continuous	34
ALRL-34	Top Mounting Continuous	35
ALRL-35	Top Mounting Continuous	36
ALRL-36	Top Mounting Continuous	37
ALRL-37	Top Mounting Continuous (LED)	38
ALRL-38	Top Mounting Continuous	39
ALRL-03	Concealed Bracket with Full Cover	42

ALRL-26	Concealed Bracket with Full Cover	43
ALRL-27	Concealed Bracket with Full Cover	44
ALRL-39	Concealed Bracket with Full Cover	45
ALRL-24	Concealed Continuous	48
ALRL-25	Concealed Continuous	49
ALRL-42	Concealed Continuous	50
ALRL-20	Side Mounting Bracket	52
ALRL-19	Side Mounting Bracket with Full Cover (LED)	54
ALRL-08	Side Mounting Continuous	56
ALRL-17	Side Mounting Continuous (LED)	57
ALRL-14	Top Mounting Vertical Balustered (LED)	60
ALRL-33	Top Mounting Bracket for Balcony (LED)	62
ALRL-40	Top Mounting Bracket for Stair (LED)	63
ALRL-41	Wall Mounting Handrail System (Aluminium)	67

ALUMINIUM RAILING HANDRAILS

ALHR-01		68
ALHR-02		68
ALHR-03		68
ALHR-04		68
ALHR-05		69
ALHR-06		69
ALHR-07	LED	69
ALHR-08	LED	69
ALHR-09	LED	70
ALHR-10	LED	70

ALHR-11		70
ALHR-12	LED	70
ALHR-13		71
ALHR-14	LED	71
ALHR-15		71
ALHR-16		71
ALHR-17		72
ALHR-18		72
ALHR-19		72

WOODEN RAILING HANDRAILS

ALWHR-01		74
ALWHR-02		74

OFFICE PARTITION SYSTEM

ALPS-01	Office Partition System	94
---------	-------------------------	----

STAINLESS STEEL RAILING SYSTEMS


ALS-01	Floor Mounting	77
ALS-02	Floor Mounting (Stair)	77
ALS-03	Floor Mounting	77
ALS-04	Floor Mounting	77
ALS-07	Side Mounting	78
ALS-18	Floor Mounting	78
ALS-16	Floor Mounting	78
ALS-17	Floor Mounting (Stair)	78
ALS-05	Floor Mounting	79

ALS-06	Floor Mounting	79
ALS-08	Floor Mounting (Single Side)	81
ALS-09	Floor Mounting (Double Side)	81
ALS-10	Floor Mounting (Adjustable)	81
ALS-11	Floor Mounting	83
ALS-12	Floor Mounting	83
ALS-13	Floor Mounting	83
ALS-14	Floor Mounting	83
ALS-15	Floor Mounting	83

ALS-19	Side Mounting	85
ALS-20	Side Mounting	85
ALS-21	Side Mounting	85
ALS-22	Side Mounting	85
SS Handrail Accessories		86

TOOLS


TOOLS	Alurail Tools	90
-------	---------------	----






TOP MOUNTING BRACKET WITH FULL COVER


ALUMINIUM RAILING SYSTEMS



Step 1



Step 2



Step 3






Step 4

PAGE
10 TO 12


Top Mounting Bracket with Full Cover

RAILING MODEL NO.
ALRL-01

GLASS THICKNESS
10.00 TO 12.00 mm



ALRL-01




ALRL-01 (S)


Top Mounting Bracket with Full Cover

RAILING MODEL NO.
ALRL-02


GLASS THICKNESS
10.00 TO 17.52 mm




ALRL-02
PROFILE



ALCP-02
COVER PROFILE



ALEC-02
END CAP




Top Mounting Bracket with Full Cover

RAILING MODEL NO.


ALRL-28

GLASS THICKNESS


10.00 TO 13.52 mm





ALRL-28
PROFILE



ALCP-28
COVER PROFILE




ALEC-28
END CAP






TOP MOUNTING BRACKET


ALUMINIUM RAILING SYSTEMS



Step 1



Step 2





Step 3

Top Mounting Bracket With End Cap

RAILING MODEL NO.
ALRL-04



GLASS THICKNESS
12.00 mm



Top Mounting Bracket With End Cap

RAILING MODEL NO.
ALRL-05



GLASS THICKNESS
12.00 mm



Top Mounting Bracket

RAILING MODEL NO.
ALRL-06

GLASS THICKNESS
12.00 mm





Top Mounting Bracket With End Cap

RAILING MODEL NO.

ALRL-15

GLASS THICKNESS

12.00 mm






Top Mounting Bracket With End Cap

RAILING MODEL NO.

ALRL-16

GLASS THICKNESS

12.00 mm






Top Mounting Bracket With End Cap

RAILING MODEL NO.

ALRL-21

GLASS THICKNESS

12.00 mm





Top Mounting Bracket With End Cap

RAILING MODEL NO.

ALRL-22

GLASS THICKNESS


12.00 mm




Top Mounting Bracket With End Cap

RAILING MODEL NO.
ALRL-23

GLASS THICKNESS
12.00 mm



ALRL-23







ALRL-23 (S)

Top Mounting Bracket With End Cap

RAILING MODEL NO.
ALRL-29

GLASS THICKNESS
12.00 mm






Top Mounting Bracket With End Cap

RAILING MODEL NO.

ALRL-30

GLASS THICKNESS

12.00 mm





Top Mounting Bracket With End Cap

RAILING MODEL NO.

ALRL-31

GLASS THICKNESS



12.00 mm




Top Mounting Bracket With End Cap

RAILING MODEL NO.
ALRL-32

GLASS THICKNESS
12.00 mm









TOP MOUNTING CONTINUOUS


ALUMINIUM RAILING SYSTEMS




Step 1



Step 2



Step 3



Step 4



PAGE
28 TO 39

Top Mounting Continuous



RAILING MODEL NO.
ALRL-07

CERTIFIED

GLASS THICKNESS
12.00 TO 17.52 mm



Top Mounting Continuous



RAILING MODEL NO.

ALRL-09


Options : LED / NON LED

CERTIFIED




GLASS THICKNESS


12.00 TO 17.52 mm



ALRL-09
PROFILE



ALEC-09
END CAP







Top Mounting Continuous

RAILING MODEL NO.
ALRL-10

CERTIFIED

GLASS THICKNESS
12.00 TO 17.52 mm




Top Mounting Continuous

RAILING MODEL NO.


ALRL-11

GLASS THICKNESS



10.00 TO 12.00 mm



ALRL-11
PROFILE



ALEC-11
END CAP






Top Mounting Continuous

RAILING MODEL NO.
ALRL-12






GLASS THICKNESS
20.89 TO 25.52 mm



Top Mounting Continuous

RAILING MODEL NO.
ALRL-13



GLASS THICKNESS
12.00 TO 13.52 mm



Top Mounting Continuous


RAILING MODEL NO.
ALRL-18

GLASS THICKNESS
12.00 TO 13.52 mm



ALRL-18
PROFILE

ALEC-18
END CAP



Top Mounting Continuous

RAILING MODEL NO.

ALRL-34

GLASS THICKNESS



12.00 TO 13.52 mm



ALRL-34
PROFILE




ALEC-34
END CAP



Top Mounting Continuous


RAILING MODEL NO.
ALRL-35

GLASS THICKNESS
12.00 TO 12.89 mm



ALRL-35
PROFILE


ALEC-35
END CAP



Top Mounting Continuous


RAILING MODEL NO.
ALRL-36

GLASS THICKNESS
12.00 TO 13.52 mm



ALRL-36
PROFILE

ALEC-36
END CAP





Top Mounting Continuous


RAILING MODEL NO.
ALRL-37




GLASS THICKNESS
12.00 TO 17.52 mm



ALRL-37
PROFILE



ALEC-37
END CAP




Top Mounting Continuous

RAILING MODEL NO.
ALRL-38


CERTIFIED

GLASS THICKNESS
12.00 TO 17.52 mm



ALRL-38
PROFILE

ALEC-38
END CAP









CONCEALED BRACKET WITH FULL COVER

ALUMINIUM RAILING SYSTEMS








PAGE
42 TO 45

Concealed Bracket with Full Cover

RAILING MODEL NO.
ALRL-03

GLASS THICKNESS
10.00 TO 17.52 mm






Concealed Bracket with Full Cover

RAILING MODEL NO.

ALRL-26


GLASS THICKNESS

12.00 TO 17.52 mm



ALRL-26
BRACKET



ALCP-26
COVER PROFILE



Concealed Bracket with Full Cover


RAILING MODEL NO.
ALRL-27

GLASS THICKNESS
12.00 TO 17.52 mm



ALRL-27
BRACKET

ALCP-27
COVER PROFILE





Concealed Bracket with Full Cover

RAILING MODEL NO.

ALRL-39


GLASS THICKNESS


10.00 TO 13.52 mm



ALRL-39
PROFILE

ALCP-39
COVER PROFILE









CONCEALED CONTINUOUS

ALUMINIUM RAILING SYSTEMS



PAGE
48 TO 50




Concealed Continuous

RAILING MODEL NO.

ALRL-24


GLASS THICKNESS

12.00 TO 17.52 mm



ALRL-24
PROFILE




ALCP-24
COVER PROFILE



Concealed Continuous


RAILING MODEL NO.
ALRL-25

GLASS THICKNESS
12.00 TO 17.52 mm



ALRL-25
PROFILE




ALCP-25
COVER PROFILE



Concealed Continuous

RAILING MODEL NO.
ALRL-42


GLASS THICKNESS
12.00 TO 12.89 mm






SIDE MOUNTING BRACKET


ALUMINIUM RAILING SYSTEMS




Step 1



Step 2



Step 3




Step 4

Side Mounting Bracket

RAILING MODEL NO.
ALRL-20


GLASS THICKNESS
12.00 mm






SIDE MOUNTING BRACKET WITH FULL COVER


ALUMINIUM RAILING SYSTEMS




Step 1



Step 2



Step 3



Step 4

Side Mounting Bracket with Full Cover

RAILING MODEL NO.

ALRL-19

Options : LED / NON LED



GLASS THICKNESS



12.00 TO 17.52 mm



ALRL-19
BRACKET

ALCP-19
COVER PROFILE


ALEC-19
END CAP






SIDE MOUNTING CONTINUOUS


ALUMINIUM RAILING SYSTEMS




Step 1



Step 2



Step 3




Step 4


Side Mounting Continuous

RAILING MODEL NO.
ALRL-08

GLASS THICKNESS
12.00 TO 17.52 mm



Side Mounting Continuous



RAILING MODEL NO.

ALRL-17

Options : LED / NON LED

CERTIFIED



GLASS THICKNESS


12.00 TO 17.52 mm





ALRL-17
PROFILE



ALCP-17
COVER PROFILE



ALEC-17
END CAP









TOP MOUNTING VERTICAL BALUSTERED


ALUMINIUM RAILING SYSTEMS




Step 1



Step 2



Step 3



Step 4

PAGE
60 TO 63

Top Mounting Vertical Balustered (Aluminium)

RAILING MODEL NO.


ALRL-14

Options : LED / NON LED



GLASS THICKNESS

10.00 TO 17.52 mm



ALRL-14
PROFILE

ALEC-14 F
END CAP



ALEC-14 LR
END CAP

ALEC-14 LL
END CAP



ALEC-14 I
END CAP

ALEC-14 CR
END CAP

ALEC-14 CL
END CAP



Top Mounting Vertical Balustered (Aluminium)



Top Mounting Bracket for Balcony (Aluminium)

RAILING MODEL NO.


ALRL-33

Options : LED / NON LED



GLASS THICKNESS

10.00 TO 17.52 mm



ALEC-33 LR
END CAP



ALEC-33 LL
END CAP





ALEC-33 I
END CAP



ALEC-33 CR
END CAP



ALEC-33 CL
END CAP



Top Mounting Bracket for Stair (Aluminium)

RAILING MODEL NO.
ALRL-40
Options : LED / NON LED



GLASS THICKNESS
10.00 TO 17.52 mm

